
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,13

PRICE LIST

FALL, 1930 and

SPRING, 1931 X Y

JAN-31 1931 *
HILL Jan Jan of Agriculture.

NURSERIES POMFRET CENTER CONN.

Address

JAMES H. BOWDITCH, Proprietor 73 TREMONT ST., ROOM 903

BOSTON, MASS.

OR

ROLAND E. BAKER, Manager POMFRET CENTER, CONN.

Use Telephones Under Their Names. We have a New Office Building at the Nursery, with Direct Telephone Service - Putnam Division 288-2 During Working Hours.



INTRODUCTION

The name "Hiti" signifies high elevation, which gives a longer season, free from early

frost and injury to late growth.

This catalog contains only a list of plants grown at Hiti Nursery, but stock of all kinds is furnished. Prospective buyers are invited to call at or write to the Boston office and discuss their wants. Mr. Roland E. Baker will attend to all direct Nursery customers.

The Nursery, on Dana Road, is about a mile by road from Pomfret Station of the N. Y., N. H. & H. R. R., or a shorter cut up the railroad track. Telephone or telegraph Mr. Baker the day previous to your coming and he will meet you at the station on arrival, taking you back when ready. Visitors to the Nursery between April 1st and November 1st. will find some one at hand during business hours to show the stock and take orders.

In these days of automobile travel customers find it easy to visit Pomfret and select their plants personally Spring is usually the best time to handle Nursery stock but the season for many plants may be extended by a little care to include the summer and fall months also; with but slight risk of failure.

The Nursery is closed during the winter months, though of course it is open to inspection at any time.

Large sized stock in quantity can be delivered economically by auto as far as Boston to arrive in perfect condition.

All deliveries f. o. b. carefully put up; packing at cost.

JAMES H. BOWDITCH, Proprietor,

73 Tremont St., Room 903, Boston, Mass.

State of Connecticut

Office of STATE ENTOMOLOGIST

NEW HAVEN, CONN.

No. 1119.

Date—August 2, 1930.

CONNECTICUT AGRICULTURAL EXPERIMENT STATION

NURSERY INSPECTION AND REGISTRATION

Certificate

This is to certify that Hiti Nurseries of Pomfret Center, Conn., has registered as a Nurseryman, that the nursery stock has been duly examined in compliance with the provisions of Chapter 265, of the Public Acts of 1925, and that it is apparently free from dangerously injurious insects and plant diseases.

This certificate expires August 1, 1931.

W. E. BRITTON,

State Entomologist.

INVITATION

The public is cordially invited to come to the Nursery at any time as a visitor merely, not a buyer.

We make this offer unhesitatingly because it is the best way of introducing ourselves and our plants.

In point of fact each new acquaintance affords us the best advertising medium for attracting the attention of others.

NOTICE

We have a considerable number of large size Specimen Evergreens, mostly Yews, that it is almost impossible to catalog, so as to afford an adequate description.

These are priced to the visitor on examination at the Nursery, and we find them very useful for adding a last touch of beauty to any landscape finish.

Also a good sized assortment of new varieties that are of smallar size that we shall be glad to show, and thus introduce them to your notice in advance, for later adoption.

It will be well worth your while to see these.

Evergreens.

							Each
20	Abies	concolor,	4-5 ft				\$8.00
15	6 6	"	3-3 ½	ft			7.00
8	66	66	2-2 1/2	ft			5.00
7	6 6	balsamea	macro	carpa, 4	-5 ft		5.00
15	66	"	6.6		-4 ft		4.00
5	66	66	"	- 2	½-3 ft.		3.00
4	46	Fraseri, 5	5-6 ft.				7.00
4	"						5.00
10	66						4.00
2	"	Veitchii,					10.00
2	. 66	66					7.00
48	66	"	12-15	in		• •	1.50
75	Buxus	microphy	rlla, 6-	10 in			1.00
6	64	sempervi	rens, 1	8-20 in		• •	2.00
286	66	St. Johns	s, 1.0-1	2 in			.75
200	66		8-1	0 in		• •	.50
125	"	"					.30
9	Chama	ecyparis f	ilifera	aurea, 2	2½ ft		6.00
28		66	66	" 1	5-18 in.		3.00
4		"	obtusa	Crippsi	aurea,		
					3	ft.	6.00
15		"	66	"	66		
					15-18	in.	4.00
11		"	6.6	nana,	18-24 in.		3.00
2		"]	pisifera	, 4 ft.			5.00
14		"	66	3-3 1/2	ft	• •	4.00
28		66	66	2-2 1/2	ft		2.50
10			pisifera	aurea,	4-5 ft		3.00

				Each
10	Chamaecyparis	plumosa a	aurea $2\frac{1}{2}$ -3 ft	2.00
25	66	66	" 18-24 in	1.00
5	60	squarrosa	Veitchii,	
			$2-2\frac{1}{2}$ ft.	3.00
9	66	66	"	
			18-24 in.	2.00
10	66	66	10 10 :	1 50
10	66	66	12-18 in.	1.50
13			sulfurea, 12-18 in.	1.50
8	66	66	12-10 III.	1.00
0			8-10 in.	1.00
8	66	ericoides.	15-18 in	2.00
50	Euonymus rad		24 in	1.00
205		1104112, 20	8 in	.50
				.00
A	small leaf of un	iform size.	. Quick grower.	
200	Euonymus radi	icans acuti	as, $2-2\frac{1}{2}$ ft	1.00
\mathbf{A}	mat like form.			
15	Euonymus rad	icans Carr	iere, 3½-4 ft	6.00
66		66 66		4.50
275	(6			2.50
$\frac{1}{200}$	66			1.50
A	long broad leav	ed variety		
4			iere Hiti, 4 ft	8.00
62		" "		3.00
02			3-3½ ft.	6.00
110	66	66 66	. –	
			2-2½ ft.	4.00
15	66	66 66	66	
010	66	66 66	12-15 in.	1.50
218	•		6-8 in.	1.00
			0-0 111.	1.00

A bushy round leaved variety. Makes a very neat Evergreen hedge, sheared perhaps twice a year to keep it trim.

						Each
235	Euonymus	radicans	minimus,	18-24	in	3.00
255	"	•6	•6	10	in	1.00
130	66	46	"	6	in	.50
61	"	66	variegata	, 2 ft.		2.00
92	66	66	"	18-24	in	1.50
85	66	46	66	12-18	in	1.00
293	66	"	66	8-10	in	.50
5	.6	46	vegetus,	4 ft.		8.00
42	"	4.6	•6	2 ½ -3	ft	3.00
194	66	66	46	18-24	in	2.00
165	66	66	66	6-8	in	.50

We strongly advise the purchase of a sample of each of these varieties of Euonymus to show the merits and uses to which they may be put, as there is no type of Evergreen that offers so many attractive features at low cost, succeeding well under adverse conditions of soil and situation, especially on a sloping surface.

					Each
38	Juniperus	Chinensi	s columnaris,	6-7 ft	15.00
3	66	66	46	4-5 ft	10.00
45	66	66	66	18-24 in.	3.00
12	66	46	procumbens	(blue)	
				18-24 in.	3.00
160	46	66	•6	(blue)	
				12-15 in.	1.75
50	66	66	÷6	(green)	
				2 ft.	3.50
428	(6	66	46	(green)	2 0 0
				18-24 in.	3.00
738	66	66	66	(green)	
				12-15 in.	1.50
8	66	Dayi, 21	$\frac{1}{2}$ -3 ft		2.50
8	Juniperus	Dayi, 2-	2 ½ ft		2.00
51	66	" 18	3-24 in		1.50

			Each
160	Juniperus	depressa plumosa, 12-15 in	1.50
75	ē 6	Hibernica, 2-2½ ft	2.00
28	66	squamata Meyeri, 2-2½ ft	7.00
7	66	Suecica, 12 in	2.00
5	66	" nana, 18-20 in	4.00
45	6.6	Waukegan, 2-2½ ft	3.00
170	66	" 12-15 in	1.50
8	66	Pfitzeriana, 8 ft. spread	15.00
17	66	" 4-5 ft. spread	8.00
150	.6	" $3-3\frac{1}{2}$ ft. spread	5.00
343	•6	" $2\frac{1}{2}$ -3 ft. spread	4.00
50	• 6	" $2-2\frac{1}{2}$ ft. spread	3.00
50	66	" 18-24 in. spread	. 2.00
295	66	" 12-18 in. spread	1.00
111	66	" 8-10 in. spread	.50
25	Picea alba	a, 5-6 ft	6.00
30	"	4-5 ft	5.00
19	66 66	3-4 ft	3.00
25	66 66	2 ft	2.00
22	" exc	elsa 4-5 ft	5.00
12		" 3-4 ft	3.00
4	66 6	" 2-2½ ft	2.50
50	66		1.00
25	" gla		2.50
180	66	" 8-10 in	1.75
20	" pun	ngens aurea 3-3½ ft	10.00
130		" 2½-3 ft	8.00
25	66	" 12-18 in	3.00
		•	

A seedling from this Nursery.

Golden Evergreens usually show this color most distinctly in spring and early summer, on the new growth.

This Spruce, on the contrary, is at its best during cold autumn and winter weather, and is therfore unique in its field of light yellow color:

						Each
13	Picea	pungens	Bakeri	4-4 ½	ft.	 30.00
8	"	66	"	3-3 ½	ft.	 25.00
16	"	66	"	2 ½ -3	ft.	 20.00
50	• • • • • • • • • • • • • • • • • • • •	6 6	66	15-20	in.	 10.00
14	66	66	66	10-12	in.	 5.00

We believe this to be the best blue type on the market today among the entire evergreen group. A product of this Nursery. Carefully grown from cuttings only, so as to insure the best results.

Stocky, well-furnished specimens.

						Each
5	6 6	Wilsoni	4-4½ ft.			5.00
11	Pinus	Austriac	a, 3-4 ft.			3.00
4	6.6	6.6	2-3 ft.			2.50
24	6.6	mughus	2-2½ ft.			3.00
4	66	resinosa	5-6 ft			4.00
12	6.6	6.6	4-5 ft			3.00
105	6 6	6.6	15-18 in.			1.00
24	٠,	strobus	4-5 ft			2.00
15	6.6	sylvestr	is 6-7 ft.			3.00
22	Pseudo	otsuga ta	xifolia 6-	-7 f	t	7.00
47	6.6	í	5	-6 f	t	6.00
69	66		" 4.	-5 f	t	5.00
43	6.6		3	-4 f	t	4.00
8	Taxus	baccata	elegantiss	ima	· · · · · · · · · · · · · · · · · · ·	
					$3\frac{1}{2}-4$ ft.	15.00
23	6 6	6.6	66		$2\frac{1}{2}-3$ ft.	10.00
38	6.6	66	66		12-18 in.	2.50
12	66	66	66		8-12 in.	1.00
7	66	66	66	va	r.,	
•					$2\frac{1}{2}-3$ ft.	10.00
6	6.6	6.6	66		18-24 in.	4.00
10	6.6	66	Jacksoni	18	in	4.00
6	66	6 6	pyramida	lis,	$2\frac{1}{2}-3$ ft	8.00

							Each
43	Taxus	baccata	repand	ens 2-2	½ ft		4.00
924	6.6	6.6	46		24 in.		
1200	6.6	6.6	**		3 in		
20	6 6	66	Washir	gtoni 1			
3	66	6.6		ica fast			
					3 1/2 - 4		10.00
18	6.6	6.6	66		46	66	
					3-3 1/2	ft.	8.00
4	6.6	6.6	66		66	66	
					2 ½ -3	ft.	7.00
5	6.6	6.6	6.6		"	66	
					2-2 ½		5.00
16	6.6	66	"		, 18-24		5.00
124	6.6	canaden					2.00
75	66	66		5 in			1.50
30			10-1		• • • • •		1.00
469	6.6	66					.50
14	6 6	cuspida	ta Hiti	type—s	pecimen $3\frac{1}{2}$		25.00
22	6.6	66	6.6	66	3-3 1/2		
279	6.6	6.6	66	66	$2\frac{1}{2}$		
66	Тахис	cuspidat	a Hiti t	vna 18-	· -		4.00
25	1 axus	"	"	-	-15 in.		3.00
100	66	66	66		-12 in.		1.50
100			Unrigh	it type-			1.00
5	66	66	"	$3\frac{1}{2}-4$ fi	_		20.00
25	"	"	66	3-3 1/2 1			15.00
15	66	"	6.6	2 ½ -3 f			10.00
15	46	6.6	erect	a 4-4 ½			12.00
3	6.6	66	66	4 ft.			10.00
15	6.6	66	6.6	3-3 1/2	ft		7.00
82	66	66	66	2 1/2 - 3	ft		5.00
18	6.6	66	66	2-2 1/2	ft		4.00
47	6.6	66	66	18-24	in		2.50

Taxus cuspidata nana—specimens— 3-3 ½ ft. 15.00 91
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
91 " " " 2½-3 ft. 10.00 208 " " " " 2-2½ ft. 8.00 111 " " 2 ft. 6.00 475 " " 18-24 in 4.00 164 " " 12-15 in 3.00 500 " " 8 in 1.00 5 " " capitata $2 \frac{1}{2}$ -3 ft. 7.00 9 " " " 18 in 4.00 390 " " compacta 8-12 in. 2.50 2.50 20 " " erecta $2-2 \frac{1}{2}$ ft. 10.00 13 " " type 4 ft 12.00 23 " " " 3-3 $\frac{1}{2}$ ft. 10.00 30 " " " 2½-3 ft. 6.00 41 " " 2-2½ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " 15-18 in. 1.75 11 " " erecta 3½-4 ft. 10.00 13 " " " 2-2½ ft. 6.00 16 " " " 2-2½ ft. 5.00 15 " " " 3 $\frac{1}{2}$ -4 ft. 5.00 15 " type—specimens 4-5 ft. 25.00
111 " " " 18-24 in 4.00 164 " " 12-15 in 3.00 500 " " 8 in 1.00 5 " " capitata 2½-3 ft. 7.00 9 " " " capitata 2½-3 ft. 7.00 390 " " compacta 8-12 in. 2.50 2.50 20 " " erecta 2-2½ ft. 10.00 13 " " type 4 ft 12.00 23 " " " 3-3½ ft. 10.00 50 " " " 2½-3 ft. 6.00 41 " " 2-2½ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " 15-18 in. 1.75 11 " " erecta 3½-4 ft. 10.00 13 " " " 2-2½-3 ft. 6.00 16 " " " 2-2½-3 ft. 6.00 16 " " " " 2-2½-3 ft. 6.00 17 " " " 3-3½-4 ft. 10.00 18 " " " " 3-2½-3 ft. 6.00 19 " " " " 3-2½-3 ft. 6.00 10 " " " " 3-2½-3 ft. 6.00
111 " " 2 ft. 6.00 475 " " 18-24 in 4.00 164 " " 12-15 in 3.00 500 " " 8 in 1.00 5 " " capitata $2\frac{1}{2}$ -3 ft. 7.00 9 " " 18 in 4.00 390 " " compacta 8-12 in
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
164 " " 12-15 in 3.00 500 " " 8 in
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
390 " " compacta 8-12 in. 2.50 2.50 20 " " erecta 2-2½ ft. 10.00 13 " type 4 ft 12.00 23 " " " 3-3½ ft. 10.00 30 " " " 2½-3 ft. 6.00 41 " " 2-2½ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " 15-18 in. 1.75 11 " " erecta $3\frac{1}{2}-4 \text{ ft. } 10.00$ 13 " " 2½-3 ft. 6.00 16 " " " 2½-3 ft. 6.00 15 " " " 3½-4 ft. 10.00 15 " " " 3½-4 ft. 20.00
20 " " erecta 2-2½ ft. 10.00 13 " " type 4 ft 12.00 23 " " " 3-3½ ft. 10.00 50 " " " 2½-3 ft. 6.00 41 " " " 2-2½ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " " 15-18 in. 1.75 11 " " erecta 3½-4 ft. 10.00 13 " " " 2½-3 ft. 6.00 15 " " " 2½-3 ft. 6.00 15 " " " 3½-4 ft. 10.00 15 " " " 3½-4 ft. 20.00
20 " " erecta $2-2\frac{1}{2}$ ft. 10.00 13 " type 4 ft 12.00 23 " " 3-3 $\frac{1}{2}$ ft. 10.00 50 " " 2 $\frac{1}{2}$ -3 ft. 6.00 41 " " 2-2 $\frac{1}{2}$ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " 15-18 in. 1.75 11 " " erecta 3 $\frac{1}{2}$ -4 ft. 10.00 13 " " " 2-2 $\frac{1}{2}$ ft. 6.00 16 " " " 2-2 $\frac{1}{2}$ ft. 5.00 15 " type—specimens 4-5 ft. 25.00 13 " " 3 $\frac{1}{2}$ -4 ft. 20.00
13 " " type 4 ft 12.00 23 " " " 3-3 $\frac{1}{2}$ ft. 10.00 50 " " " 2 $\frac{1}{2}$ -3 ft. 6.00 41 " " 2-2 $\frac{1}{2}$ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " 15-18 in. 1.75 11 " " erecta 3 $\frac{1}{2}$ -4 ft. 10.00 13 " " " 2-2 $\frac{1}{2}$ ft. 6.00 16 " " " 2-2 $\frac{1}{2}$ ft. 5.00 15 " type—specimens 4-5 ft. 25.00 13 " " 3 $\frac{1}{2}$ -4 ft. 20.00
15 23 " " " " 3-3 $\frac{1}{2}$ ft. 10.00 \$0 " " " 2 $\frac{1}{2}$ -3 ft. 6.00 41 " " 2-2 $\frac{1}{2}$ ft. 4.00 49 " " " 18-24 in. 2.50 55 " " " " 15-18 in. 1.75 11 " " " erecta
\$\frac{50}{30}\$ " " " " \$\frac{2\frac{1}{2}-3}{2}\$ ft. \$6.00\$ \\ 41 " " " " 2-2\frac{1}{2}\$ ft. \$4.00\$ \\ 49 " " " " 18-24 in. \$2.50\$ \\ 55 " " " 15-18 in. \$1.75\$ \\ 11 " " erecta \[\frac{3\frac{1}{2}-4}{2}\$ ft. \$10.00\$ \\ 13 " " " 2\frac{1}{2}-3\$ ft. \$6.00\$ \\ 16 " " " 2-2\frac{1}{2}\$ ft. \$5.00\$ \\ 15 " " \text{type}—specimens \$4-5\$ ft. \$25.00\$ \\ 13 " " 3\frac{1}{2}-4\$ ft. \$20.00\$
$2\frac{1}{2}-3$ It. 6.00 41 " " $2-2\frac{1}{2}$ ft. 4.00 49 " " $18-24$ in. 2.5055 " " " $15-18$ in. 1.7511 " " erecta $3\frac{1}{2}-4$ ft. 10.00 13 " " " $2\frac{1}{2}-3$ ft. 6.00 16 " " " $2-2\frac{1}{2}$ ft. 5.00 15 " type—specimens $4-5$ ft. $25.0013 " " 3\frac{1}{2}-4 ft. 20.00$
49 " " " 18-24 in. 2.50 55 " " " " 15-18 in. 1.75 11 " " erecta $3\frac{1}{2}-4$ ft. 10.00 13 " " " 2\frac{1}{2}-3 ft. 6.00 16 " " " 2-2\frac{1}{2} ft. 5.00 15 " " type—specimens 4-5 ft. 25.00 13 " " 3\frac{1}{2}-4 ft. 20.00
13 - 24 III. 2.30 15 - 18 in. 1.75 11 " " " erecta $3 \frac{1}{2} - 4 \text{ ft. } 10.00$ $13 \text{ " " " 2} \frac{1}{2} - 3 \text{ ft. } 6.00$ $16 \text{ " " " 2} - 2\frac{1}{2} \text{ ft. } 5.00$ 15 " type—specimens 4 - 5 ft. 25.00 $13 \text{ " " 3} \frac{1}{2} - 4 \text{ ft. } 20.00$
15-18 III. 1.75 11 " " erecta 3 ½-4 ft. 10.00 13 " " " 2½-3 ft. 6.00 16 " " " " 2-2½ ft. 5.00 15 " type—specimens 4-5 ft. 25.00 13 " " 3½-4 ft. 20.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
13 " " " 2½-3 ft. 6.00 16 " " " 2-2½ ft. 5.00 15 " type—specimens 4-5 ft. 25.00 13 " " 3½-4 ft. 20.00
16 " " " 2-2½ ft. 5.00 15 " type—specimens 4-5 ft. 25.00 13 " " 3½-4 ft. 20.00
15 " type—specimens 4-5 ft. 25.00 13 " " 3½-4 ft. 20.00
13 " " $3\frac{1}{2}$ -4 ft. 20.00
5 72 -4 11. 20.00
54 " " " 3-3½ ft. 15.00
28 " " " 2½-3 ft. 8.00
127 " " 2-2½ ft. 5.00
4 "Sieboldii 3½-4 ft 15.00
7 " 3-3½ ft 10.00
8 " $2\frac{1}{2}-3$ ft
26 " 2-2½ ft 5.00
91 " 18-24 in 4.00

The Japanese Yews (T. cuspidata) are of exceptional hardiness, good coloring, and generally speaking, by far the most satisfactory of the entire Yew family; and we therefore confidently recommend their broad use for many purposes.

The handsomest forms have been carefully selected and stock of these grown from outdoor cuttings so that the result is sure and exact. We urge prospective customers, or simple visitors, to inspect these young plants and see for themselves their intrinsic beauties. If, however, distance or inconvenience interfere with personal selection, we will gladly make this choice for you if a general statement of planting conditions are given us as a guide to a wise furnishing of what is really needed.

Many old customers living at a distance request us to forward to them from time to time any new or desirable things that we have come across in our Landscape work.

				Each
3	Thuja	occidentalis	Columbia—5-6 ft	6.00
2	66	66	" 4-5 ft	. 5.00
2	6.6	6 6	" 3-4 ft	. 4.00
26	66	46	" $2\frac{1}{2}-3$ ft.	3.00
11	66	66	" 18-24 in.	2.00
20	6 6	66	Little Gem 2-2½ f	t. 3.00
86	64	6 6	" " 12-15 ir	a. 2.00
32	6.6	6.6	pyramidalis 3-3½ ft	4.00
46	"	66	" 18-24 in	2.50
50	66	6 6	" 12-15 in	a. 2.00
24	"	6.6	Rosenthali 2-2½ ft.	4.00
140	6 6	6 6	" 15-18 in.	2.50
28	66	"	Koraiensis 12-18 in	2.50
20	Tsuga	canadensis	compacta 3½-4 ft	. 10.00
51	. 6	66	" 2 ft	. 3.50
240	66	6.6	" 8-12 in	. 1.50
88	"	Carolinianu	m 18-20 in	. 3.00
500	Yucca	filamentosa		20

Deciduous Trees.

25	Carya alba, 6-8 ft	\$4.00
7	Catalpa Bungei, 6-8 ft	5.00
4	Crataegus cordata, 6-8 ft	4.00
2	Fagus Americana, 8 ft	10.00
2	Ginkgo biloba, 25 ft.—specimens—	25.00
5	Malus floribunda, 8-10 ft	5.00
5	" atrosanguineum, 7 ft.	4.00
5	Prunus Pissardi, 6-7 ft	2.50
63	Salix Babylonica ramulis aurea, 6-7 ft	1.00
15	Sorbus Americana, 10-12 ft	4.00
12	Ulmus pumila, 4-5 ft	2.50
13	" Moline, 10-12 ft	6.00

Shrubs and Vines.

		Each
50	Akebia quinata	\$.50
25	Ampelopsis muralis	.50
4	Aronia arbutifolia, 4-5 ft	1.50
150	Berberis Thunbergii, 18-20 in	.20
90	" 1518 in	.15
100	" 12 in	.10
16	" Red Leaf, 3-4 ft	3.00
8	" " " 2½-3 ft.	2.50
50	Cornus alba sanguinea, 3-4 ft	.50
50	" Stolonifera lutea, 3-4 ft	.50
27	Cotoneaster racemiflora soongarica,	
	$2\frac{1}{2}-3$ ft.	3.00
13	" soongarica, 3-4 ft	1.50
133	" Wilsoni, 3 ft.,	1.00
150	" 2-2½ ft	.75
200	" 2-3 ft. seedlings	.30
75	Cydonia Japonica, 2-3 ft	.75
20	" pygmea, 2 ft	.50
29	Desmodium penduliflorum	1.50
25	Deutzia gracilis, 18-24 in	.50
40	" Pride of Rochester, 3-4 ft	.50
20	Diervilla Eva Rathke, 2-3 ft	.50
156	Euonymus alatus, 2½-3 ft	1.50
50	" 2-2½ ft	1.00
150	" 18-24 in	.75

		Each
10	Euonymus latifolia planipes, 2-3 ft	3.00
10	" magnificum, 3 ft	3.00
6	" Sieboldii, 2 ft	2.00
200	Forsythia in variety, large size stock,	
	5-8 ft.	.50
25	" suspensa, 4-5 ft	1.00
50	Hydrangea arboresense grandiflora alba,	
	3 ft.	.50
43	" paniculata grandiflora, 3-4 ft.	.75
9	Ilex glabra, 2½-3 ft.—specimens—	5.00
90	" verticillata, 12-18 in	.50
300	" 12-15 in. seedlings	.20
50	Kerria Japonica 4 ft	.50
6	Koelreuteria paniculata 5 ft	1.50
46	Ligustrum amurense 4 ft	.50
27	" Ibolium 4 "	.50
10	" ibota 4 "	.50
7	" lowdense 2-3 ft	1.00
!8	" 18-24 in	.50
25	" media 6 ft	.50
25	Lonicera aurea reticulata	.50
25	" Halliana	.50
25	" sinensis	.50
30	" tatarica rubra 2-2½ ft	.50
15	Philadelphus coronarius 4 ft	1.00
10	"Gordonianus 6-7 ft	1.00
10	" nana aurea 18-24 in	1.00

		Each
25	Rosa Bardou Job	.50
10	"York & Lancaster	2.00
30	Spiraea Anthony Waterer 2½ ft	.50
30	" callosa alba 2 ft	.50
28	" prunifolia 4-5 ft	.50
85	" Van Houtii 4 ft	.50
30	Symphoricarpus racemosus 2½-3 ft	.50
50	" vulgaris 3-4 ft	.50
26	Symplocos paniculata 4-5 ftbushy	4.00
150	" 2½-3 ft	1.00
130	" 18-24 in	.50
9	Syringa vulgaris 2½-3 ft	1.00
18	" alba 4 ft	1.50
35	" Charles X 5-6 ft	3.00
96	" rubra de Marley 4-5 ft.	1.50
10	" Marie Legraye 3 ft	1.50
18	" Mad. Flor. Step. 4-5 ft.	2.50
17	" Saugeana 6 ft	2.50
10	" amurense 6-7 ft	2.00
6	" villosa 4-5 ft	2.50
15	" Volcan 2-3 ft	2.50
80	Viburnum Americanum 2½-3 ft	1.00
40	" 18-24 in	.50
21	" dilatatum 5-6 ftbushy	10.00
8	" 4-5 "	8.00
2	" 3-4 "	5.00
6.	" 3-4 "	3.00
147	" 2½-3 ft	2.00
10	"tomentosum 5-6 ft	1.50
8	" 4-5 "	1.00
10	" plicatum 4 ft	1.50
500	Xanthorhiza apiifolia	.15

Hardy Herbaceous Flowers.

		Each
100	Achillea Snowball	.20
50	" langulata buglossia	.25
50	" Cerise Queen	.20
200	Acorus calamus variegata	.20
100	Aquilega hybrida	.30
50	Armeria laucheana	.30
50	" maritima	.30
100	Artemisea pontica	.20
15	Aster climax	.30
25	" laevis	.30
50	" St. Egwin	.30
25	" Novae Angliae	.30
25	" var rosea	.30
50	" Tataricus	.30
50	" White Queen	.30
50	"Top Sawyer	.30
50	" Beauty of Colwell	.30
50	" Maggie Perry	.30
50	" Mauve Queen	.30
50	Boltonia asteroides early	.25
50	" late	.25
50	" latisquamae	.25
25	Campanula carpatica	.30
25	" pyramidalis alba	.30
25	" blue	.30
25	" lactiflora	.30
50	Centaurea candidissima	.25

		Each
25	Chrysanthemum Snow clad	.30
50	" alba	.30
50	" Asiatican	.30
25	" petite Louise	.30
50	"Bessie Brown	.30
25	"Glory of Wayside	.30
50	" Red late	.30
50	Chrysanthemum, Pink	.30
50	"yellow	.30
100	" Sibiricum	.30
25	Clematis coerulea erecta	.30
300	Convallaria majalis	.10
200	Coreopsis tripteris	.20
100	" lancelator	.20
200	"trichosperma	.15
100	Coronilla varia	.25
100	Delphinium formosum	.30
30	" sinensis	.30
100	Eryngium azureum	.30
40	Euphorbia polychroma	.50
25	Gaillardia grandiflora	.30
100	Harpalium rigidum	.20
50	Helianthus Mollis	.25
100	" Maximiliani Var	.20
100	" Miss. Mellish	.20
100	" orgyalis	.20
100	" seedling	.20
100	"Gross serratus	.20
50	Helenium autumnale	.25
100	" Riverton Gem	.25
100	" superhum rubrum	.25

				Each
50	Hem	erocallis	Dumortieri	.25
100		66	flava	.25
50		66	fulva	.25
50		"	Kwanso fl. pl	.25
200		66	Middendorfiana	.25
200		66	Thunbergii	.25
100	Host	a Siebold	ii	.25
100	6 6	variega	ita	.25
100	66	lancifo	lia	.25
100	66	ovata		.25
50	66	subcord	lata alba	.50
100	Iris	cristata		.20
100	6.6	Germanic	a Madame Chereau	.20
100	6 6	66	Caprice	.20
100	66	66	Delila	.20
100	6.6	66	Edith	.20
200	6 6	66	crimson and brown	.20
100	6.6	66	Hector	.20
100	6 6	66	Kharput	.25
100	66	66	honorabilis	.20
2.5	6,6	66	Jordain	.20
100	66	66	light blue	.20
100	6 6	66	Nd' Orage	.20
100	66	66	Pink	.20
100	6.6	66	aurea	.20
50	66	66	Sappho	.20
50	6 6	66	white purple streak	.20
200	6 6	66	Pallida Dalmatica	.20
100	ı6 6	6.6	alba	.20
100	66	66	lutea	.20
100	66	66	Mrs. Darwin	.20
100	"	6.6	Gracchus	.20
200	#6	66	Princess Victoria Louise	.20

\$s *		Each
100	Iris Germanica Her Majesty	.20
200	" Maori King	.20
100	" Mrs. Gay	.20
100	" Rhine Nixe	.30
75	"Zua	.40
50	" Seminole	.40
50	" Rialgar	.50
150	Iris Koempferi S. Diabutz	.30
175	" S. Alcock	.30
50	" S. Pink, White Vein	.30
150	" D. Dark Maroon	.30
25	" D. Lavender & White	.30
125	" D. Mrs. Buchanan	.30
85	" D. White, Blue Vein	.30
175	" D. Julia S	.30
50	" D. Navy Blue	.30
50	" pumila excelsa	.20
50	" The Bride	.20
100	" purpurea	.20
100	" ochroleuca	.20
100	" orientalis	.20
100	" Sibirica alba	.20
100		.20
100	" Snow Queen	.20
200	Liatris dubia	.20
2.5	" elegans	.20
50	" pumila	.20
50	" pycnostachya	.20
50	Lillium superbum	.25
50	Lavendula vera	.50
5.0	Paeonia Karl Rosenfield	2.00
40	" Baroness Schroeder	.60

			Each
50	Paeon	ia Duchess de Nemour	.60
70	6.6	Victor Hugo	
50	66	Marguerite Gerard	
50	66	festiva maxima	
50	66	Delachii	.60
70	٤.	Norfolk	1.00
50	66	No. 321 Single Dark	.50
40		Canary	.60
50	£ 6	Edward VII	.60
50	6.6	Charles Levecque	1.50
25	66	Solfaterre	1.00
25	6 6	Marie Lemoine	.60
50	"	Single White	.60
50	"	Dragon	.60
30	66	Dr. Manning	.60
50	66	officinalis rubra	.75
100	Phrag	mites communis	.50
50	Papav	er orientale	.30
100	Phlox	decussata Brunette	.30
5 ()	٤.٤	"Eclaireux	.30
50	6 6	" Saisons Lierval	.30
100	"	" Von Lassburg	.30
50	"	" La Feu de Monde	.30
50	6.6	" Antonin Mercier	.30
100	"	" Seedling No. 1	.30
50	6.6	" Stella's Choice	.30
50	6 6	" La Soleil	.30
25	6 6	" Pantheon	.30
50	"	" Madame Meuret	.30
50	6.6	" R. B. Struthers	.30
30	6 6	subulata lilacina	.25
50	66	" Vivid	.25
50	Pyreth	nrum uliginosum	.20

,		Each
25	Platycodon Marresii	.25
50	Rudbeckia Golden Glow	.20
50	" nitida Autumn Glory	.20
50	" subtomentosa	.20
25	" purpurea	.25
75	Saxifraga cordifolia	.25
50	" crassifolia	.25
100	" grandiflora	.25
50	" lingulata rosea	.25
50	Sedum acre	.20
50	" spectabile	.30
50	" atropurpureum (dark)	.30
30	" brilliant	.30
200	" pulcarum	.25
50	" pallidum	.25
300	" sexangulare	.20
50	" speciosum	.20
50	" Telephium Purpureum	.30
50	" Maximowiczii	.20
25	" reflexum	.25
50	" Kamtschaticum	.20
50	" rupestris minor	.25
50	" umbellatum	.20
75	" cruentum	.25
100	" sarmentosum	.20
100	" spurium splendens	.20
50	" Brownii	.25
500	Sempervivum arachnoideum	.04
500	" acuminatum	.06
500	" arenarium	.03
1000	" fimbriatum	.04
1000	soboliferum	.03
100	" Violaceum	.07
100	" cornutum	.04

		Each
50	Silphium perfoliatum	.30
50	Solidago Johnsoni	.30
100	Spiraea astilboides alba	.50
100	" fl. pl. pink	.50
50	" Humboldti	.50
50	Tanacetum vulgare var. crispum	.20
25	Teucrium chamaedrys	.50
25	Tiarella purpurea major	.30
25	Veronica candida	.30
50	" pumila	.30
50	" rupestris	.30

Always plan to have your garden at its best, when you are most likely to be there to enjoy it.

TREATMENT

Plans for large areas or places are designed and carried out by a landscape engineer of recognized ability, so that no customer need feel that his particular want cannot be wisely and economically treated.

Sometimes a simple visit of inspection will afford sufficient data for a customer to attend to the affair himself, and the mere removal of overgrown or unsightly trees and shrubbery on an old place will work wonders in rehabilitation. By all means consider this phase of the situation carfully, as we always wish to bring out or advise the best and wisest course under varying circumstances.

RECOMMENDATION

Some customers would like a little advise or suggestion as to what plants to use or order from the Nursery, and we wish to provide for this.

For example—there are quite a number of varieties, especially among the evergreen group, that are new and desirable for small places or gardens and if the selection is left largely in our hands we are confident the result will be much more satisfactory. Evergreens of small size should be used in all instances where immediate effects are not imperative.

Again in orders out of the State the red tape of inspection and even entire prohibition often makes for provoking delay and even cancellation, so that we have to be careful even of our promises, as changes in these laws and regulations occur every season and have to be recognized accordingly.

We particularly aim at a hardy selection of pleasing variety.

CONCLUSION

Our customers today include house architects, landscape designers, or consultants and nurserymen.

Many women are taking up this outdoor garden work professionally, or otherwise, and their advent makes a distinct and valuable addition to opportunities presented to the general public for careful consideration, as women seem to have an especially keen sense of beauty in arrangement of Garden Flowers.

LANDSCAPE GARDENING

Large or small country places are carefully treated with reference to outdoor improvement.

Gardens of all kinds made to fit any condition offered.

Combination fruit and flower designs are often very useful and effective, where space is more or less limited and good cultivation easily maintained.

JAMES H. BOWDITCH.

